DOCUMENTATION 3 FiberFlex

61



www.rc-ab.se info@rc-ab.se backing tool

61


6A

FiberFlex ENTATION

Our contribution to minimalism: Aesthetically controversial. But technically brilliant.



Overview product range







FiberFlex

Our contribution to minimalism: Aesthetically controversial. But technically brilliant.





RCAB

www.rc-ab.se info@rc-ab.se

In case of mini-max-solutions, nature is ahead since primeval times: flexible backing fiber constructions help millions of organisms to optimal process safety. The trick: Simple, functionsafe, efficient. Based on this evolution principle works our FiberFlex backing tool. It is self reversing and threedimensionally flexible. So it fits optimal to every equipped relief. With the help of homogene

supporting function it eliminates bothering vibrations in large scale – even at filigree PCB's. The use in assembly systems is as

easy as playing building brick: place wherever you want, ready. Magnetically fixed. ESD conform.

fiber length 22 mm

10.32

26 mm 31.39 31.50 31.74

length/height

WWW.LTC. de FIDERFIER 31.74 Every working level possible in combination with standard bodies and individual precision built-up elements every working attitude is possible: for 32/39/47/70/74/94 mm

we take it up from our well stocked store. For all other dimensions we take the precision milling machine - in that case we exceptionally do not ship the same day - but we are working on it.

